

POLICE



DEPARTMENT

No. E1-5758/2021/KEPA

Kerala Police Academy,
Thrissur

✉ dirkepa.pol@kerala.gov.in

☎ 04872328770

Dated. 17-12-2021

NOTICE

KERALA POLICE ACADEMY

RAMAVARMAPURAM, THRISSUR, KERALA

CANCELLATION OF BID FOR THE SUPPLY OF CHAPPATHI MACHINE

Bids were invited for the supply of Fully Automatic Chappathi Machine for KEPA through GeM. Out of the bids received the lowest three were forwarded to Technical Committee for evaluation. After evaluating Live Physical Demonstration, certificates and documents attached with bid and the Previous installations and experiences of the lowest quoted 3 firms, the Committee has forwarded a detailed report .

1.M/S Tanvy (Dayie Engineering): The Firm had replied that , for live demonstration of the machine, the committee should visit Delhi. Also they have not produced the required certificates, Not supplied machines in Kerala and no service center in Kerala. Hence, **the committee has decided not to recommend the product.**

2.M/S Deokali Engineers :-The Firm has not produced the required certificates. On contact over phone by the committee, it was informed that they have supplied a Machine at INS Venduruthy. The Technical Committee visited the Office and verified the Machine at INS, Venduruthy. On examination, it is found that the Machine which was purchased 3 years before is not working now due to complaints and the quality of the product is too low and not a fully food grade material. Hence, **the committee has decided not to recommend the product.**

3. M/S B.K Engineers :- The firm submitted relevant documents and certificates in original. They demonstrated the working of the Machine at KEPA. During demonstration, the team had found that the design of the machine was not up to the mark with regard to price, quality of the product. (Chappati made was not a standard one and not tasty. The committee visited the Divine Retreat Centre, Muringoor where the company installed a machine and obtained details. Some technical complaints of Nylon Belt, Iron Conveyor Belt , danger to the operator due to overweight of the machine were also reported. Hence, **the committee has decided not to recommend the product.**

In the circumstances reported by the Technical Evaluation Committee , the bid invited for the purchase of Fully Automatic Chappathi Machine for KEPA through Government e Market portal is cancelled and hence all further procedures based on this bid invitation is hereby dropped..



E1-5758/2021/KEPA



e9caf7



P Vijayan IPS
Inspector General of Police (ic)
For Director



E1-5758/2021/KEPA



e9caf7