

POLICE



KERALA

DEPARTMENT

No. G1-37333/2024/N

District Police Office,

Pathanamthitta

✉sppta.pol@kerala.gov.in

☎04682222630

Dated. 03-10-2024

TENDER No. 01/2024-25

Sealed Tenders are invited for the "Purchase of Under mentioned Kitchen equipments/machineries/installation" for the Sabarimala Sannidhanam Police Mess of District Police Office, Pathanamthitta, so as to reach this office on or before 12.00 PM on 10.10.2024. Tender is invited under Two bid system.

Tender No	01/2024-25
Item	Kitchen Boiling Unit, Machineries/installation & Chapathi Making Unit
Specification	Enclosed
Quantity	Enclosed
Approximate Prize	Rs.19,00,000/- (Incl GST)
Tender Forms Fee in Rs.	Rs.5,700/- + GST
EMD	Rs.19,000/-
Date & Time of Tender opening	10.10.2024, 3.00 PM

- The Tenders should be superscribed with Tender Number and details of the items and addressed to the District Police Office, Pathanamthitta (Tel No: 0468-2222630/9447563273). Late Tenders will not be accepted. The Tenders will be opened at the time mentioned above, in the presence of the tenderer or their authorized representatives (with proof of identity) who may be present at that time. The sale of the tender form will be closed at 5 PM on 09.10.2024.
- Cover details: - No. of covers - 1. i) Technical Bid 2) Financial Bid. In the case of Foreign Equipment, the rate must be quoted in Indian Rupees. The documents to Foreign Equipment, the rate must be quoted in Indian Rupees. The documents to be mentioned under each covers are specified.
- The tenders should be submitted in a sealed envelope clearly superscribed with Tender No. and name of the item. The rate is to be quoted in Indian Money. No advance payment can be made for procuring any of the above items.
- **Opening of tenders:-** The offers received with requisite EMD or Bid security with samples will be opened on 10.10.2024 3.00 P.M in the presence of the representatives of the firms who may be present at that time. All tenders received without EMD will be rejected outright. The bids will be evaluated by a Committee and those that do not conform to the specifications will be rejected. All prices quoted should be inclusive of all levies and taxes. Customs duty if any should be mentioned specifically.
- Intending Tenderer may, on application to the District Police Office Pathanamthitta, obtain requisite tender forms on which the tenders should be submitted or download the tender forms from the Kerala Police website www.keralapolice.gov.in. The tenderer who download forms should submit the required tender value as a



G1-37333/2024/N



e29e38

Demand Draft along with the tender.

- Earnest Money Deposit (EMD) should be furnished along with the Tender. EMD may be submitted either in crossed Bank Drafts/ Treasury Savings Bank Deposits/Government Promissory notes/ Bank Guarantee or National Saving Certificates drawn in favour of District Police Office Pathanamthitta. The name of the firm and tender number should be mentioned on the reverse side of the EMD and Tender cost. Firms which are exempted from furnishing EMD should produce a copy of the relevant authorized document for verification. Without EMD, the tenders will be rejected.
- Preference will be given to the products submitted by the manufacturer or their authorized dealers having authorization from the original equipment manufacturer. Similarly, preference will be given to the Tenderer having experience of supplying similar/same items to Govt. Departments or Organizations, for which the tenderer has to produce proof of purchase/ installation/ satisfaction of the customer.
- As per the items are urgently required, the selected bidder will have to supply the items without loss of time, preferably within 7 days.
- Police Department is not liable to send any individual communication. Any clarification/ doubts regarding the specification or related matters pertaining to the items tendered maybe got cleared through G1/G2 Section (Tel No: 0468-2222630/9447563273) - doubts regarding the specification).
- The District Police Chief Pathanamthitta is empowered to reject any tender without assigning any reason.
- Technical Cum financial bid Evaluation: - All tenderers who quote for the supply of above equipment are required to be ready for live demonstration to be held in District Police Office, Pathanamthitta and the date will be informed later. In the event of firms not able to show live demonstration, they need to convince the Technical Evaluation Committee about such inability and resort to documentary/power point presentation with original product brochures/CDs/scale models/ videos/ slide shows etc. to the utmost.
- Place of Tender Opening - District Police office, Pathanamthitta. Address of Tender Inviting Authority - The District Police Chief, Pathanamthitta. PIN 689645 email: sppta.pol@kerala.gov.in

SL NO	ITEMS	SIZE	QTY	SPECIFICATION	UNIT PRICE without GST (APPROXIMATE)	TOTAL AMOUNT without GST (APPROXIMATE)
COOKING BOILER UNIT & KITCHEN MACHINERIES						
1	SUPER BOILER - ROUND	5	1	Steam generator operated by the use of fuel LPG. Made out of 8 mm thick MS Outer Jacket & 6 mm Inner (MS). Steam producing inner tank fully SS 304 Grade 2 mm thick & Bottom 3mm thickness fitted with safety valve Spring loaded & dead weight drain valve , Water float, Non-Return Valve, water level indicator with glass gauge and provision for fuel gas chimney bend. Mounted on heavy MS Angle stand with 8mm thick MS Plate. LPG High pressure burner (T-50	139500	139500



G1-37333/2024/N



e29e38

				Burner) with independent control needle valves, Copper pig tail & manifold required for the above steam generator. Inner Shell Water capacity is around 500 ltrs.		
2	BOILER STAND		1	Made out of MS frame with leg 1 1/2"x1/4" Angle 1" Square Rod Cross Bar Support	18000	18000
3	RICE VESSEL	30 KG	4	<p>Rice Vessel for Kerala Rice - Single Jacketed Made out of AISI original Salem Stainless Steel, SS 304 Grade, which is tested for their properties/composition like carbon, manganese, silicone, chromium, nickel, molybdenum, phosphorus, sulphur, tensile strength, 2% yield strength, elongation, Rockwell, brinell, etc. before putting into manufacture. The vessel bottom side is fabricated with perforated and welded sheet. Gate valve is provided to drain out the water from the bottom of the vessel.</p> <p>By using the tilting handle, the vessel can be easily tilted and transfer the cooked food items to other utensils.</p> <p>Shell Thickness : Bottom 12 swg and Outer 14 swg.Side support : 63 mm round threaded rod</p>	29700	118800
				Sambar Vessel - DoubleJacketed Type of Vessel: Cylindrical double jacketed tilting type. It is made of AISI food grade SS 304 sheet of original stainless Steel which is tested for their properties like carbon,		



4	SAMBAR VESSAL	150 LTR	3	<p>manganese, silicone, chromium, nickel, molybdenum, phosphorus, sulphur, tensile strength, 2% yield strength, elongation, Rockwell, Brinell, etc. before putting into manufacture. The vessel is made out of fully double jacketed fitted with all accessories including ½" safety valve, ¾" automatic steam trap valve to remove the condensed water in between the vessel. In this system the steam does not mix with the inner contents. By using the tilting handle, the vessel can be easily tilted and transfer the cooked food items to other utensils. Shell Thickness : Inner 12 swg, bottom 10 swg and Outer 14 swg. Type of Injection : Indirect Injection of Steam with carbon bush rotating type. Type of Welding : TIG welding (Argon Arc) / Testing pressure : 2.5 kg/cm² Working pressure : 1.5 - 2.0 kg/cm² /Side support : 63 mm round threaded rod.</p>	39600	118800
5	HOT WATER VESSEL	250 LTR	1	<p>Hot Water Vessel - Single Jacketed Made out of AISI original Stainless Steel, SS 304 Grade, which is tested for their properties/composition like carbon, manganese, silicone, chromium, nickel, molybdenum, phosphorus, sulphur, tensile strength, 2% yield strength, elongation, Rockwell, Brinell, etc.before putting into manufacture. The</p>	63000	63000



G1-37333/2024/N



e29e38

				vessel bottom side is fabricated with perforated and welded sheet. Gate valve is provided to drain out the water from the bottom of the vessel by using tilt handle the vessel can ve easily tilted and transfer the cooked food items to other utensil. Shell thickness : bottom 12 SWG and outer 14 SWG, side support : 63 mm round threaded rode.		
6	SS VESSEL LEG		6	Length 33" / 2" 16swg pipe ,18" cross support,6mm Square plate on top	4500	27000
7	IDLY STEAMER	240 IDLY	2	Idly Steamer boiling time 15 minutes, working pressure 10 psi, Box type, 3 compartments, 15 trays of 20 idlis per tray in each compartment, that is, total 15 trays. Outer chamber and Idli trays are made up of 1.25 mm thickness 304 grade SS sheet. Inner chamber of 1.6 mm thick 304 grade SS sheet. Accessories include rubber gasket, steam inlet connection ¾" SS ball valve and drainage valve of ¾" brass valve	90000	180000
8	STEAM PIPE LINE	1 UNIT		SS Steam Pipeline	63000	63000
9	ALUMINIUM GLASS WOOL INSTALLATION	1 UNIT		Steam Pipe line with Aluminium Cladding Work Aluminium gladding for steam pipeline heat resistant 4 " dia Aluminium sheet with gladding work	36000	36000
10	ACCESSORIES	1 UNIT		Boiler Accessories	9000	9000
11	ERECTION CHARGES	1 UNIT		Erection Charges	13500	13500
				Made out of 304 grade 16 swg SS sheet fabricated with Under-		



12	WORK TABLE WITH ONE UNDER SHELF	44"x24"x34"+6"	4	Shelf 18 swg SS sheet and legs made of 16 swg mounted with 1 1/2" SS pipe legs, with adjustable nylon boots.	21600	86400
13	VEGETABLE CUTTING MACHINE	350 KG	1	Vegetable Cutting Machine with Hopper (Heavy) Motor : 1.0 Hp (Single or 3 phase) Production Capacity : 300 kg to 350 kg per hr	67500	67500
14	VEGETABLE CUTTING MACHINE BLADES	7 Blades	7	7 different blades	4500	31500
15	PLATFORM TROLLEY	300 KG	2	SS Platform Trolley - 300 Kg capacity Made out of 1 1/2"x 1/4" angular frame with 14 swg 304 Grade SS Sheet paneling and handle with 1 1/4" round pipe and 6" dia. heavy movable wheels. (To be used inside the kitchen for moving rice, grain, cereals, sugar, etc.)	18000	36000
CHAPPATHI UNIT						
16	DOUGH KNEADER	10 KG	1	Arm Speed : 35 RPM Motor : 1 Hp Motor Using Materials : Iron, Casting gear box, SS Drum, & SS Arm	33516	33516
				PRODUCTION CAPACITY : 1000 CHAPATHI / PER HOUR, SIZE OF ROTI : 3" TO 9", WEIGHT OF ROTI: 12 gm TO 90 gm THICKNESS OF ROTI : 1 mm to 9 mm, ELECTRIC SUPPLY : 230 v (Single phase) or 440 v (Three phase) ELECTRICAL CONNECTION LOAD : 20Amp (4kw), ELECTRITION CONSUMPTION : 2.2 unit per hour,		



17	FULLY COOKED CHAPATHI MACHINE	1000/HOUR	1	CHAPATI BAKING : THREE LAYER TECHNOLOGY, GAS CONNECTION : LPG & PNG, GAS CONSUMPTION 1.8 kg/hr, GAS SAFETY : AUTO CUT OFF VALVE SYSTEM, ROTI COLOR & APPEARANCE : LIGHT BROWN OVERALL DIMENSION : 7.8'(L) x2.4'(W) x5.2(H) WEIGHT OF MACHINE : 650 kg ALL CONTACT PARTS & COVER : SS 304, ROTI BAKING CONVEYOUR : SS 304, ELECTRIC MOTOR : ABB OR CROMPTON, ELECTRIC WIRE : RR CABLE OR POLYCAB, GEAR BOX : ROTOMOTIVE OR VARVEL, ELECTRICAL PARTS : SIEMENS & L&T & SCHNEIDER, ELECTRIC SAFTEY : EMERGENCY STOP BUTTON, BEARING : SKF OF TIMKEN, MACHINE MOVABLE : 4" CASTOR WHEEL	540000	540000
18	COMPRESSOR	1 HP	1	Compressor for Chapathi ball cutting Machine	18000	18000

General

1. The Bidder should be a reputed Original Equipment Manufacturers (OEM) or authorized dealer of OEM, who is having an Authorization Certificate from the OEM to participate in the tender at Kerala Police and Certificate from the OEM for sales and service.
2. One Bidder cannot represent two suppliers/OEMs or quotes on their behalf in a particular tender.
3. The OEM/Bidder should have a well-equipped service Centre functioning in India to cater immediately after sales requirement. Copy of service Centre details must be enclosed along with tender document. (Preferably bidder should have a service Centre in Kerala/South India).
4. The bidder should have a valid GST registration. Copy of GST registration certificate should be enclosed along with the tender.
5. The bidder should have valid GST Index Number. Copy of GST Index Number



allocation letter should be enclosed along with the tender.

6. The Bidder must fulfil the following minimum qualification criteria to prove the techno commercial competence and submit the documents in support thereof:

- Valid Authorization letter from the OEM to attend this particular Tender.
- Certificate of Registration/Incorporation Certificate of the Bidder.
- Last 3 year's financial status of the Bidder's/P&L and Balance Sheet/audit report of last 3 years.
- The bidder (authorized dealer/distributor) should have the dealership/distribution ship for at least 3 (three) continuous consecutive years with the OEM.
- The Bidder has to submit a Warrantee Certificate along with invoices.
- The bidder/manufacturer should have a minimum of 3 years experience in the Manufacture/supply of same OEM products and related accessories for Kerala Police/any Kerala Government organization/Other institutions.

7. The Tender should be super scribed with Tender Number and name of the store item and addressed to The District Police Chief, District Police office, Pathanamthitta, Kerala, PIN: 689645. Late Tenders will not be accepted. A bond in stamp paper worth Rs. 200/- should be enclosed with the Tenders agreeing to follow all the terms and conditions stipulated by the District Police Chief, District Police office, Pathanamthitta, in the Tender document with regard to purchasing the items.

8. The tenders should be submitted in two separate parts containing Technical and financial bids in separate sealed envelopes clearly super scribed and should be put together in a large envelope, all envelopes sealed and superscribed with "Tender No. and name of item". If any offer contains technical bids and financial bids together in one envelope, such offers shall be rejected outright.

9. Intending Tenderers may, on application to the District Police Chief, District Police office, Pathanamthitta, obtain requisite tender forms on which the tenders should be submitted (Application for the tender form should be accompanied by cash remittance of Rs. 5700/- + GST and duplicate tender form of Rs. 2,950/- + GST, which is the price fixed for a form/set of forms which is not refundable under any circumstances. The tender forms are non-transferable. The Tenderer who collected forms should submit the required tender value as Demand Draft along with the tender.

10. Earnest Money Deposit (EMD) should be furnished along with the Tender. EMD may be submitted either in crossed Bank Drafts/Treasury Savings Bank Deposits/Government Promissory Notes/Bank Guarantee or National Saving Certificates drawn in favour of District Police Chief, District Police office, Pathanamthitta,. The name of the firm and Tender number should be mentioned in the reverse side of the EMD and Tender cost. Firms which are exempted from furnishing EMD should produce a copy of relevant authorized document for verification. Without EMD, the Tenders will be rejected.

11. For all supplies the successful tenderer should furnish a Performance Bank Guarantee/Security Deposit @ 5% of the total assignment (purchase order value) in the form of Fixed Deposit or Bank Guarantee from a Commercial Bank which should be valid for a period of 60 days beyond completion of all contractual obligation of the supplier including warranty.

12. Specifications and list items of each tender shall be obtainable from District Police Chief, District Police office, Pathanamthitta during working hours of office or from the police website as mentioned above. The firms should also furnish the detailed specifications, make brochures, Test Report from Govt Laboratories/Agencies (wherever possible) technical support network in Kerala etc. of the equipments along with the tenders. The Tenders without detailed specifications of quoted items, Brochures, make etc are liable to be rejected forthwith. The Tenders without separate envelope and not super scribing the Tender number will be rejected.

13. Sample will be submitted free of cost whenever necessary, which would be returned only after the supply is effected. The firms should be ready to show live demonstration of technical equipments at their own risk and cost.

14. Police department is not liable to send any individual communication. Police Department is not responsible to return the samples after verification. The rates quoted should be valid for one year.

TERMS AND CONDITIONS



G1-37333/2024/N



e29e38

- The supplier should quote the price valid for a period of one year.
- If the authorized distributor is supplying the items, the Manufacturer/Principal Company has to submit an authorization letter for the dealer/authorized distributor.
- All the quotations are to be enclosed with maximum discount.
- The purchases are for Police Mess, Sannidhanam.
- Delivery of the consignment should be made at on the places mentioned in the supply order.
- If the company is dealing with perishable goods, which require Cold Chain Management the delivery should be prompt. If any damages occur the supplier will be responsible for its replacement.
- Penalty will be imposed on delay in delivery as per the existing rules.
- In case of purchase of goods viz., consumables, disposables, etc the contractual obligations should be considered as completed when supply is done and the items are inspected and accepted by the Institute.
- Payment mode is through online after acceptance of goods in good condition at the places mentioned in the supply order.
- For all ordered goods, Insurance/liability may be upto the supplier only.
- If the quote is not according to the above terms and conditions, the same will be summarily rejected.

1. The warranty period of the equipments will be for Three year.
2. The firm shall be responsible for maintenance/ replacement of damaged equipment and other accessories during warranty period.
3. The warranty covers all the items in the equipment and its associated components.
4. The firm shall be responsible for the maintenance/replacement of physical damages that may happen other than natural calamities may be covered under warranty.
5. A snag to an individual equipment shall be corrected within 24 hours. In case the breakdown of more equipment happens, it should be corrected within 12 hours.
6. In case of the replacement and maintenance shall be the responsibility of the firm. Also the replacement, maintenance of the equipment and its accessories are included in warranty.
7. An inspection should be conducted by the Police department after completing the installation by the firm.
8. In case of premature termination of the contract by the Kerala Police for any reason attributed to the firm. Kerala Police will issue one month's advance notice to the firm to this effect.
9. During the warranty period, the firm's technician will carry out preventive maintenance of all the systems at regular intervals. He shall also attend to any break down compliant as and when required. And also ensure that a technician be present at Sabarimala during the season duty on all Mandala-Makaravilakku days and when the Thirunada opens for monthly poojas.
10. Any person under this contract, whose work or conduct is found unsatisfactory by the officer in charge, District Police Chief Pathanamthitta shall be replaced immediately at no additional cost.
11. The firm shall, at their sole cost and expenses, furnish and provide for rendering services covered by this contract entire satisfaction of the Kerala Police.
12. Necessary safety measures shall be taken care of the firm for the on-duty personnel engaged by him. Kerala Police Shall not be held responsible for any such accident arising from compromising safety measures/negligence.
13. If the services rendered by the firm are not up to the standard as detailed under scope of work, the same shall be brought to the notice of the firm with a view to improve the same in a stipulated period else shall take necessary action as per the provisions of contract.
14. All existing statutory regulations both State and Central Government shall be adhered to and complied with by the service provider.

15. **MANPOWER**

- a) The firm shall provide technical as well as manpower support during all Mandala-Makaravilakku season, monthly pooja days and all other occasions in which Sabarimala



temple remains opens for devotees.

b) Trained technicians who are conversant with the operations. In addition to this, the firm should provide manpower to attend any number of complaints in 24 hour basis during the periods mentioned in the contract when the temple remains open for devotees. In case of a major breakdown, additional technical personal may be deputed to this site. If necessary to assist the resident technician in rectifying the fault in the shortest possible time.

c) The firm has to submit the detailed list of staff with their skill at the time of commencement of contract and as and when changes are there in the deployment.

d) The firm has to ensure that the services are not disturbed after due to absenteeism or due to the willful act of the staff.

16. PAYMENT TERMS

a) No advance shall be paid for any activity.

b) Payment will be paid to the firm after the successful completion of installation and the technical committee report.

17. If any stage, the firm fails to provide satisfactory service or unforeseen damages, Kerala Police should terminate the contract without any notice or compensation. Further any damages to the installation due to the firm's negligence shall be rectified by Kerala Police at the firm's risk and cost.

18. Subcontracting of work to other vendors in any form/manner is strictly prohibited. At any point of time, if it is observed that the contract is subcontracted, the contract shall be liable to be terminated and performance bank guarantee shall be forfeited.

Note: Bidders are advised to go through the conditions in the notice inviting tender and the tender document carefully and comply them to avoid out right rejection of their tender .



Vinod Kumar V G
District Police Chief

To : www.keralapolice.gov.in

Copy To : 1. The Superintendent, Government Press, Thiruvananthapuram for publishing in Kerala Gazette. 2. Public Relations Officer, Pathanamthitta for publishing in leading daily newspapers. 3. The State Police Chief, Kerala, Thiruvananthapuram (with C/L) for information. 4. The Deputy Inspector General of Police, Thiruvananthapuram Range (with C/L) for information. 5. All District Police Chiefs and Commandants for publicity. 6. Assistant Commandant (DHQ), PTA for necessary action and vide publicity.



G1-37333/2024/N



e29e38